

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 1 of 13

able of Contents	\mathbf{S}	
SECTION 1:	Identification of the substance/mixture and of the company/undertaking	2
SECTION 2:	Hazards identification	
SECTION 3.	Composition/information on ingredients	
SECTION 4:	First aid measures	4
SECTION 5:	Firefighting measures	
SECTION 6:	Accidental release measures	6
SECTION 7:	Handling and storage	1
SECTION 8:	Exposure controls/personal protection	
SECTION 9.	Physical and chemical properties	8
SECTION 10:	Stability and reactivity	9
SECTION 11:	Toxicological information	10
SECTION 12:	Ecological information	11
SECTION 13:	Disposal considerations	12
SECTION 14:	Transport information	12
SECTION 15:	Regulatory information	12
SECTION 16:	Other information:	10



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015 Page 2 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form : Powder

Product Name : Stone Dust

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of Substance : A base material for surface levelling. Used as a base course

or embankment material because it has the ability to resist shifting and compacting. Applications include pavers, patio

blocks, pool, and general landscaping.

1.3 Details of the supplier of the safety data sheet:

Supplier:

Conproco Corporation 17 Production Drive Dover, NH, 03820 T- 800.258.3500

1.4 EMERGENCY TELEPHONE NUMBER:

Emergency Number : CHEMTREC 800.725.7383

: CHEMTREC International +1.703.527.3887 24 hr



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 3 of 13

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Acute toxicity 4
Skin Irritation 2
Serious Eye Damage 1
Skin Sensitization 1
Carcinogenicity 1A

2.2 Label elements:

Hazard Pictograms:





Signal word:

Danger

Hazard statement:

Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Can cause allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs through prolonged exposure

Precautionary statements:

Keep in original container. Do not eat, drink, or smoke when using these products. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Use in a well ventilated area. Do not breathe dust. Absorb spillage to prevent material damage. If exposed or concerned: Get medical advice/attention. If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do so. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation of rash occurs. Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store locked up. Store in a well



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 4 of 13

ventilated place. Keep container tightly closed/ Dispose of contents and container in accordance with all local, regional, national, and international regulations.

2.3 Other hazards:

Not Available

SECTION 3. Composition/information on ingredients

3.1 Mixtures:

Conproco Stone Dust

3.2 Hazardous ingredients:

name		%	GHS-US Classification
Crystalline Silica	14808-60-7	85-100	Acute Tox. 4 (oral) H302
			Carc. 1A H350
			STOT RE 1 H372

SECTION 4: First aid measures

4.1 Description of first aid measures:

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell

Following skin contact

Following inhalation

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if

irritation develops and persists.

Following eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove

PROMASONRY

ProMasonry: Stone Dust

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 5 of 13

contact lenses, if worn. Get medical attention immediately.

Following ingestion

: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed:

Symptoms/injury after inhalation

: May cause respiratory tract irritation.

Symptoms/injury after skin contact

: Causes skin irritation. Do not allow product to have prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.

Symptoms/injury after eye contact

: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/injury after ingestion

: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3 Indication of any immediate medical attention and special treatment needed: Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media

: Contact with water may cause eventual reaction to form a hard, inert solid



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015 Page 6 of 13

Unsuitable extinguishing media : None

5.2 Special hazards arising from the substance or mixture

Fire Hazard : Products of combustion include, but are not

limited to: oxides of carbon.

5.3 Advice for fire-fighters:

Firefighting instructions : Keep upwind of fire. Wear full firefighting turn-

out gear (full Bunker gear) and respiratory

protection

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

General procedure : Use personal protection recommended in

Section 8. Isolate the hazard area and deny

entry to unnecessary and unprotected

personnel

6.2 Methods and material for containment and cleaning up:

For Containment : Contain spill, then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate personal protection

Methods for cleaning up : Vacuum or sweep material and place

in a disposal container

6.3 Reference to other sections:

No additional information



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 7 of 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid generating and breathing dust. Do not swallow. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc., is not recommended. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Storage Conditions

Keep out of the reach of children. Store in dust-tight, dry, labelled containers. Keep container tightly closed when not in use. Avoid any dust build-up by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.

7.3 Specific end uses:

No additional information

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015 Page 8 of 13

USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	(30)/(%SiO2 + 2) mg/m3 TWA,
		total dust
등을 받는 것으로 하는 것으로 모르는 것으로 했다. 등을 받는 것으로 하는 것으로 보는 것으로 있는 것으로 있다.		(250)/(%SiO2 + 5) mppcf TWA,
		respirable fraction
		(10)/(%SiO2 + 2) mg/m3 TWA,
	그리아 아이를 느낌으로 불었으라면 지수는 화목 방문 등	respirable fraction

8.2 Exposure controls

Appropriate Engineering Controls : Use adequate ventilation. Avoid dust

production.

Personal Protective Equipment : Dust mask, gloves, safety glasses

Hand Protection : Cloth gloves
Eye Protection : Safety glasses

Skin and Body Protection : Handle with good industrial hygiene and

safety practice. Always wash hands after handling this product, and once again before leaving the workplace. Wear suitable

protective clothing, and wash clothing before

next use.

Respiratory Protection : Use NOISH- approved air-purifying or

supplied air respirator where airborne concentrations of dust are expected to

exceed exposure limits.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015 Page 9 of 13

Physical State Solid Appearance Granulated Color Tan Odor : N/A Odor Threshold : N/A рΗ : N/A Relative Evaporation Rate : N/A Melting Point : N/A Freezing Point : N/A : N/A **Boiling Point** Flash Point : N/A Auto-Ignition Temperature : N/A Decomposition Temperature : N/A Flammability (solid/gas) : N/A Vapor Pressure N/A Relative Vapor Density (20°C) : N/A Relative Density : N/A Specific Gravity : N/A

Solubility : Not Soluble

N/A

Log Pow : N/A
Log Kow : N/A
Kinematic Viscosity : N/A
Dynamic Viscosity : N/A
Explosive Properties : N/A
Oxidizing Properties : N/A
Explosive Limits : N/A

9.2 Other information:

No Additional Information

SECTION 10: Stability and reactivity

10.1 Reactivity:

Density

No dangerous reaction will occur under normal conditions.



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 10 of 13

10.2 Chemical stability:

Under normal conditions it will remain stable. Keep dry in storage.

10.3 Possibility of hazardous reactions:

No dangerous reactions will occur under normal use.

10.4 Conditions to avoid:

Moisture, and incompatible materials.

10.5 Incompatible materials:

Wet cement is alkaline and incompatible with acid, ammonium salts, and aluminium metal.

10.6 Hazardous decomposition products:

May include: oxides of carbon.

SECTION 11: Toxicological information

11.1 Information of Toxicological Effects:

Acute Toxicity : Harmful if swallowed

Crystalline Silica (14808-60-7)	
LD50 Oral Rat	500 mg/kg

Skin corrosion/irritation

Causes skin irritation

Serious eye damage/irritation

: Causes serious eye damage

Respiratory of skin sensitisation

; May cause an allergic skin reaction

Germ cell mutagenicity

Classification criteria not met

Carcinogenicity

May cause cancer

Reproductive Toxicity
Specific Target Organ Toxicity

Classification criteria not metMay cause respiratory irritation

(Single Exposure)

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CONPROCO ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

17 PRODUCTION DRIVE, DOVER, NEW HAMPSHIRE 03820

TELEPHONE 800.258.3500 FAX 603.743.5744 WEB ADDRESS www.conproco.com



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015 Page 11 of 13

Specific Target Organ Toxicity

(Repeated Exposure)

: Can cause damage to organs through prolonged or repeated

exposure

Symptoms	
Symptoms/injuries after inhalation	May cause respiratory tract irritation.
Symptoms/injuries after skin contact	Causes skin irritation Do not allow product to have prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
Symptoms/injuries after eye contact	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1 Toxicity:

Ecological - general

- : No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.
- 12.2 Persistence and Degradability: Not readily biodegradable
- 12.3 Bioaccumulative Potential:
 Not expected to bio accumulate
- 12.4 Mobility in soil: No data available
- 12.5 Other adverse effects: No data available



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 12 of 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Waste Disposal Recommendations

Dispose of waste material in accordance with all

local, regional, national, and international

regulations

SECTION 14: Transport information

14.1 UN Number:

Not available

14.2 UN Proper Shipping Name:

Not available

14.3 Additional Information:

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Crystalline Silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations:

Conproco ProMasonary Stone Dust



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2015

Date of Issue: 06/08/2015

Page 13 of 13

State or local Regulations	This product contains crystalline silica, and trace
	amounts of chemicals known to the State of California to cause cancer, birth defects, and reproductive harm.

Carcinogenic Classifications

IARC (I)	International Agency for Research on Cancer
	 1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP (N)	National Toxicology Program
	1 — Evidence fo Carcinogenicity 2 — Known Human Carcinogens 3 — Reasonably anticipated to be Human Carcinogen 4 — Substances delisted from report on Carcinogens 5 — Twelfth Report — Items under consideration

SECTION 16: Other information:

Other Information

: This document was made in accordance to the Hazard

Communication Standard (CFR29 1910.1200) HazCom 2015